INDEX TO VOLUME 4

Index to Authors and Titles

Bartram, Edwin B. North Queensland Mosses Collected by L. J. Brass. **235–247.**

Croasdale, Hannah. Freshwater Algae of Alaska. I. Some Desmids from the Interior. **513–565.**

Cutter, Victor M., Jr. A Survey of the Carbohydrase Systems of Syncephalastrum racemosum Cohn. **1–13.**

Dawson, E. Yale. A Review of Ceramium along the Pacific Coast of North America with Special Reference to its Mexican Representatives. **113–138.**

Etchells, John L. & Thomas A. Bell. Classification of Yeasts from the Fermentation of Commercially Brined Cucumbers. **87–112.**

Etchells, John L., R. N. Costilow & T. A. Bell. Identification of Yeasts from Commercial Fermentations in Northern Brining Areas. **249–264.**

Etchells, John L., Thomas A. Bell & Ivan D. Jones. Morphology and Pigmentation of Certain Yeasts from Brines and the Cucumber Plant. **265–304.**

Imshaug, Henry A. The Lichen Genus Buellia in the West Indies. **473–512.**

Lamb, I. Mackenzie. New Lichens from Patagonia, with Notes on Some Related Species. **423–471.**

Ling, Lee. The Ustilaginales of China. **305–351.**

Moul, Edwin Theodore. Taxonomic and Distributional Studies of Mosses of Central and Eastern Pennsylvania. **139–233.**

Ranzoni, Francis V. The Aquatic Hyphomycetes of California. **353–399.**

Reese, E. T., H. S. Levinson, Mary H. Downing & W. Lawrence White. Quartermaster Culture Collection. **45–86.**

Reese, Elwyn T., Howard Cravetz & Gabriel R. Mandels. Activity of Fungi on Oils. **409–421.**

Rogers, Donald P. Nomina Conservanda Proposita and Nomina Confusa — Fungi. Supplement. **15–43.**

Siu, R. C. H., & Elwyn T. Reese. Proposal for a System of Biological Nomenclature with Special Reference to Microorganisms. **399–407.**

New names are in **bold face type.**

Note: Refer to the following lists not repeated here —

Desmids from Alaska. 518–533.
Fungi and bacteria of the Quartermaster Culture Collection. 55–86.
Fungi on oils. 411–421.
Host index of Ustilaginales of China. 344–347.

Acanthocladium extenuatum 243
Acanthorrhynchium papillatum 244
Acaulon rubrum 175; triquetrum 175
Achilegnia 40; latvica 36
Achitonium 29
Acroporium erythropodium 244
Acrostalagmus 411
Acrothecium 15
Acurtis 33
Aerobryopsis longissima 242
Alatospora acuminata 377
Aleurodiscus 15
Alternaria 411
Amanitopsis 16
Amblysporium 411
Amblystegiella confervoides 212; subtilis 212
Amblystegium compactum 195; Juratzkanum 195; serpens 195; varium 196; varium var. ovatum 196
Amphidium lapponicum 181; Mougeotii 181
Anacamptodon splachnoides 193
Ancylonema 519
Anguillospora **gigantea 363**; longissima 361; **pseudolongissima 361**
Anomodon attenuatus 191; minor 192; rostratus 192; Rugelii 192; triste 192; viticulosus 192
Aphanorrhegma patens 223; serratum 223
Apiosporium 17
Archidium ohioense 160
Articulospora **moniliforma 366**; tetracladia 365
Aschersonia 16
Ascophora 40
Aspergillus 45–86, 411; flavus-oryzae 48; fumigatus 48; nidulans 48; niger 48; tamarii 48; terreus 48; ustus 48; versicolor 48
Astomum ludovicianum 173; Muhlenbergianum 173; phascoides 173
Atrichum angustum 226; crispum 149, 226; Macmillani 226; undulatum 226; undulatum var. Selwynii 227
Aulacomnium heterostichum 220; palustre 220
Auricularia 16, 34

Bacidia spirospora 451; spirospora var. **patagonica 453**
Barbula convoluta 174; fallax 174; unguiculata 174
Bartramia ithyphylla 221; pomiformis 221
Beauveria 411
Biscogniauxia 28
Blindia acuta 170
Botryodiplodia theobromae 48
Botryosporium 411
Botryotrichium 411
Brachysporium 411
Brachythecium acutum 203; campestre 203; digastrum 203; flagellare 204; flexicaule 204; oxycladon 204; populeum 204; rivulare 204; rutabulum 204; salebrosum 205; Starkei 205; velutinum 205
Brettanomyces 94–112; anomalus 98, 288; bruxellensis 98, 288; claussenii 97, 98, 288; lambicus 98, 288; **sphaericus** 94, **107,** 112, 254, 290; **versatilis** 94, **106,** 112, 255, 288, 290
Brotherella delicatula 210; recurvans 210; tenuirostris 211
Bryhnia graminicolor 201; novae-angliae 201
Bryobrothera crenulata 241
Bryocladium 31
Bryum argenteum 215; bicolor 215; caespiticium 215; capillare 216; cuspidatum 216; pachytheca 240; pseudotriquetrum 216; subpachypoma 240
Bruchia flexuosa 168; Sullivanti 168
Buellia arenaria 470; atrofuscata 482; bahiana 483; **boergesenii 484**; brittoniae 484; callispora 485; catasema 486; catasema var. catasema 486; **sanguinariella 486**; dejungen 487; dispersula 489; efflorescens 489; efflorescens var. **diminutiva 490**; efflorescens var. efflorescens 490; **gerontoides 490**; glaucotheca 491; glaziouana 492; glaziouana var. glaziouana 493; glaziouana var. **poliocheila 493**; glaziouana var.

sensitiva 494; **jamaicensis 494**; lauricassiae 495; **leucomela 496**; melanochlora 496; modesta 497; placodiomorpha 498; **placodiomorphoides 499**; posthabita 499; prospera 501; proximata 501; **remensa 502**; rufofuscescens 502; subdispersula 503; subdispersula var. **flavogranulosa 503**; subdispersula var. subdispersula 503; **subsensitiva 504**; **tephrodes 468**; trachyspora 504; yauconensis 505
Burrillia ajrekari 313
Buxbaumia aphylla 203
Byssothecium 40; circinans 36

Cacumisporium 15
Callicostella Kaernbachii 242
Calliergon cordifolium 199; giganteum 199; Richardsoni 199; stramineum 199
Calliergonella cuspidata 199; Schreberi 199
Calocera 16
Calodon 16
Calymperes tenerum 240
Calyptothecium acutum 242; recurvulum 242
Camptochaete brisbanica 246
Campylium chrysophyllum 197; hispidulum 198; hispidulum var. Sommerfeltii 198; polygamum 198; racicale 198; stellatum 198
Campylopus **Brassii 236**; introflexus 236; umbellatus 236; Wattsii 236
Campylospora 373; chaetocladia 373
Candida 16, 95–101; krusei 255, 282
Capnodium 17
Caripia 27
Catillaria **melanopotamica 445**; **phaeolomiza 447**; superflua 450
Ceramium 113–138; affine 132; affine var. **peninsularis 132**; avalonae 133; californicum 123; Camoui 129; caudatum 134; clarionensis 134; codicola 117; Eatonianum 117; equisetoides 128; Evermannii 123; fimbriatum 123; Gardneri 130; **hamatispinum 122**; horridum 116; **Masonii 126**; **mazatlanense 130**; **obesum 119**; ornatum 137; pacificum 120; paniculatum 122; personatum 133; procumbens 128; **recticorticum 124**; serpens 129; sinicola 118; **Taylorii 127**; **viscainoense 120**; washingtoniense 122; zacae 134
Ceratocladium 41; Clautriavii 36
Ceratodon purpureus 169
Ceratostoma 18
Chaetaspis 41; Stenochlaenae 36
Chaetomium 45–86, 411; funicolum 48; globosum 48
Chamberlainia acuminata 203; crytophylla 203
Chaos 41
Cintractia axicola 334; caricis 335; elynae 355; fimbristylis-miliaceae 336; limitata 336; scleriae 336; subinclusa 336
Circinella 411
Cirriphyllum Boscii 202; piliferum 202
Cladaria 32
Cladosporium herbarum 48
Clavaria 18
Clavariopsis aquatica 370
Climacium americanum 183; dendroides 145, 183; Kindbergii 183
Clitopilus 18
Closterium 521; angustum var. **gracilius 521**; gracile f. **sigmoideum 523**; Jenneri var. **tenue 524**; venus var. **crassum 527**
Clypeothecium 34
Coccidiophthora 41; variabilis 36
Colletotrichium 411
Collybia 21
Coltricia 31
Conocybe 22
Coprinarius 30
Cordana 15
Corticium 22, 30; komabensis 37
Cortinaria 23
Cortinarius 23
Corynoides 16
Craterella 23
Craterellus 23
Cratoneuron filicinum 197
Crepidopus 31
Ctenomyces 411
Cucumis sativa 298
Cunninghamella 411
Curvularia lunata 48
Cylindrocephalum aureum 48
Cylindrocystis 519
Cyphella 15
Cystopus 23
Cystothyrium 41; magellanicum 37

Dactylella **aquatica 359**
Debaryomyces 88, 96, 100, 268–274; membranaefaciens var. Hollandicus 255, 256, 268
Decampia 41; Hookeri 37
Dermatosorus eleocharidis 343
Derminus 30
Desmatodon plinthobius 175; Porteri 175

Diblepharis 41
Dichaena 24
Dichelyma capillaceum 186; pallescens 186
Dicranodontium denudatum 167
Dichodontium pellucidum 164
Dicnemoloma Sieberianum 238
Dicranella heteromalla 162; heteromalla var. orthocarpa 162; pycnoglossa 236; rufescens 162; Schreberi 162; varia 163
Dicranoloma astro-scoparium 237; Menziesii 237; serratum 237; **spiniforme 237**
Dicranum Bergeri 164; Bonjeani 164; condensatum 165; Drummondii 165; flagellare 165; flagellare var. minutissimum 165; fulvum 165; fuscescens 165; montanum 166; rugosum 166; scoparium 166; spurium 166; viride 166
Dictyochora 41
Didymodon recurvirostris 174
Diphyscium foliosum 231
Discelium nudum 223
Distichium capillaceum 169
Ditrichum lineare 169; pallidum 169; pusillum 170
Doassansia opaca 313
Doassansiopsis horiana 314
Drepanocladus aduncus 200; aduncus var. Kneiffii 200; fluitans 200; Sentneri var. Wilsoni 200; uncinatus 200
Drummondia prorepens 181

Ectropothecium Moritzii 246; **riparioides 246**; sandwichense 245
Encalypta streptocarpa 176
Endomycopsis 95, 101; ohmeri 278; ohmeri var. minor 280
Entodon brevisetus 193; cladorrhizans 194; compressus 194; seductrix 194
Entyloma australe 310; compositarum 310; eleocharidis 310; guaraniticum 310; microsporum 311; oryzae 311
Ephemerum cohaerens 223; crassinervium 223; serratum 223; spinulosum 223
Eriocladus 27
Eriopus **Brassii 246**
Eriospora 25
Euastrum 529
Eucamptodon Mulleri 238
Eurhynchium hians 201; rusciforme 201; serrulatum 202; strigosum var. praecox 202; strigosum var. robustum 202
Euryachora Sedi 37

Fabronia ciliaris 193; Ravenelii 193
Farysia butleri 338; orientalis 338; subolivacea 338
Fissidens adiantoides 176
Fissidens bryoides 177; bryoides var. incurvus 177; Julianus 177; minutulus 177; osmundioides 177; subbasilaris 177; **subkurandae 236**; taxifolius 177; **terrae-reginae 235**
Flagellospora curvula 374; penicillioides 375
Flammula 25
Fontinalis antipyretica var. gigantea 184; dalecartica 184; disticha 185; Duriaei 185; Novae-angliae 185; Novae-angliae var. cymbifolia 185; Novae-angliae var. heterophylla 185; Novae-angliae var. latifolia 185; Sullivanti 185
Fumago 17, 41; vagans 37
Funaria flavicans 224; hygrometrica 224; Muhlenbergii 224
Fungi Imperfecti 399–401
Fusarium 45–86; diversisporum 48; javanicum 48; moniliforme 48; semitectum 48; solani 48

Galera 25
Gausapia 34
Gautiera 25
Gautieria 25
Glenospora 34
Gliocladium roseum 48
Gomphora 26
Gomphus 26
Gonatozygon 518
Grimmia alpicola var. rivularis 171; apocarpa 171; laevigata 171; Olneyi 171; pilifera 171
Guepinia 26
Gymnopus 21
Gymnostomum aeruginosum 173
Gyraria 35
Gyrocephalus 26
Gyromitra 26

Hanseniaspora 100
Hansenula 89–112; anomala 100, 284; subpelliculosa 94, 99, 102, 292
Hedwigia ciliata 181
Helicobasidium hypochnoideum 38
Heliscus aquaticus 376
Helodium paludosum 190
Henningsomyces 41; pulchellus 38
Hericium 26
Heterographa 24
Heterophyllium Haldanianum 211
Hexagona 26

Himantocladium plumula 242
Holomitrium Muelleri 237; perichaetiale 237
Homalia Jamesii 182
Homalotheciella subcapillata 205
Homomallium adnatum 211
Hyalodothis 41; clavis 38
Hydnellum 16
Hydnogloea 35
Hydrocybe 26
Hygroamblystegium fluviatile 196; fluviatile var. ovatum 196; irriguum 196; noterophilum 197; orthocladon 197
Hygrohypnum eugyrium 198; ochraceum 198; palustre 199
Hylocomium brevirostre 213; splendens 146, 213; umbratum 214
Hymenochaeta 27
Hymenostylium recurvirostrum 173
Hyophila involuta 240; Tortula 174
Hypnum crista-castrensis 146, 208; cupressiforme 209; curvifolium 209; fertile 209; impotens 209; molluscum 209; pallescens 210; Patientiae 210; Patientiae var. elatum 210; pratense 210; reptile 210
Hypoderma 30
Hypolyssus 27
Hypopterygium Daymanianum 242; Mulleri 242

Isopterygium minutirameum var. brevifolia 245

Kloeckera 96, 298; africana 100; magna 94, 100

Lachnocladium 27
Lecidea **hypotheja 444**; **patagonica 440**; subdeclinans 442
Lemonniera aquatica 378; **cornuta 379**
Leptobryum pyriforme 214
Leptodictyum riparium 195; trichopodium 195
Leptodon tricomitrion 182
Leskea arenicola 190; gracilescens 190; nervosa 191; obscura 191; polycarpa 191
Leucobryum albidum 150, 167; ballinense 239; Bowringii var. sericeum 239; candidum 238; candidum f. brachyphylla 238; candidum var. pentastichum 239; sanctum 238; glaucum 147, 167
Leucodon brachypus 181; julaceus 181; sciuroides 182
Leucoloma **circinatulum 237**; subintegrum 237
Leucophanes australe 239; candidum 239
Leucopus 26
Lindbergia brachyptera 191
Lucidium 41; pythioides 38
Lunulospora curvula 364

Macromitrium Daemelii 241; dimorphum 241; funiforme 241; Scottiae 241
Marasmius 27
Melanomyces 41; quercinus 38
Melanopsichium **inouyei 337**; pennsylvanicum 337
Melanospora 18
Meliolopsis 42
Memnoniella echinata 48
Mesotaenium 519
Metasphaerella 42; subantarctica 38
Micromphale 27
Mnium affine 217; cinclidioides 145, 217; cuspidatum 218; Drummondii 218; hornum 149, 218; longirostrum 218; medium 219; orthorhynchum 219; punctatum 219; punctatum var. elatum 219; serratum 219; stellare 220
Monilia 17, 28
Monotospora 28
Mulleriobryum Whiteleggei 242
Mycena 28
Mycoderma 42, 88
Mycoleptodon 28
Myrioblepharis 42; paradoxa 38
Myriocarpa 42; Cytisi 38
Myurella Careyana 187

Nanomitrium synoicum 222
Neckera pennata 182
Nephroma **chubutense 438**; **kuehnemannii 436**; lepidophyllum f. **hypomelaena 439**
Netrium 519
Nummularia 28

Octoblepharum albidum 239
Odontia 28
Omphalina 28
Oncophorus Rauei 163; virens 163; Wahlenbergii 163
Oreoweisia serrulata 163
Orthotrichium anomalum 179; elegans 179; obtusifolium 179; ohioense 179; pumilum 179; pusillum 179; sordidum 180; stellatum 180; strangulatum 180; striatum 180

Pactilia 29
Paecilomyces 411; varioti 48
Panaeolus 30
Panus 19
Paraleucobryum longifolium 167
Parmeliella **concinna 431**; **granulata 429**
Paxillus 30
Penicillium 45–86, 411; chrysogenum 48; citrinum 48; funiculosum 48; luteum 48
Peniophora 30
Penium 520
Periaster 42; Strongylodontis 39
Perona 27, 28
Peronospora Nicotianae 39
Pertusaria albidopallens 465; alterimosa 466; **victoriana 463**
Pestalotia 411; copernica 48; virgatula 48
Phaeodothis 42; Tricuspidis 39
Phaeomarsonia 42; Yerbae 39
Phascum cuspidatum var. americanum 175
Phellinus 30
Phialophora 411; lignicola 48
Philonotis fontana 221; fontana var. falcata 222; longiseta 222; marchica 222; Muhlenbergii 222
Phlebia 22
Pholiota 30, 411
Phoma terrestris 48
Phragmocarpella 42; Ichnanthi 39
Phyllonochoeta 43
Physcomitrium immersum 224; turbinatum 224
Physisporus 32
Pichia 88; alcoholophila 285
Piptostomum 43; domingense 39
Pisomyxa 31
Plagiothecium denticulatum 206; deplanatum 206; elegans 206; elegans var. Schimperi 206; geophilum 207; laetum 207; micans 207; Muellerianum 207; pulchellum 207; Roeseanum 207; striatellum 207; sylvaticum 207; turfaceum 207
Platygyrium repens 212
Pleuridium palustre 168; subulatum 168
Pleuropus 18
Pleurotaenium 527; trabecula var. elongatum f. **scrobiculatum 528**
Pleurotus 31
Pogonatum alpinum 227; brachyphyllum 150, 227; pensilvanicum 227
Pohlia cruda 214; nutans 214; pulchella 215; Wahlenbergii 215
Polychaeton 17
Polyporus 411
Polystictus 31
Polytrichum commune 228; commune var. perigonale 229; formosum 229; gracile 229; juniperinum 229; juniperinum var. alpestre 229; ohioense 229; piliferum 230
Poria 30, 32
Porotrichum alleghaniensis 182
Pottia truncata 175
Prunulus 28
Psathyra 32
Pseudocyphellaria **exanthematica 433**; hirsuta f. **leucosticta 436**
Psilothecium 43; innumerabile 39
Psoroma **internectens 427**
Pterophyllus 31
Pterula 32
Ptychomitrium incurvum 178
Pullularia pullulans 48
Pylaisia intricata 212; polyantha 212; Selwynii 212

Raddetes 22
Ramaria 32
Raphanazon 34
Rhabdoweisia denticulata 163; denticulata var. americana 163
Rhacomitrium aciculare 171; heterostichum var. sudeticum 172
Rhacopilum convolutaceum 242
Rhizogonium spiniforme 241
Rhizopus 411
Rhodobryum roseum 216
Rhodophyllus 33
Rhodotorula 96, 100, 301; flava 300; glutinis 300
Rhymovis 30
Rhytidiadelphus squarrose 213; triquetrus 213
Rhytidium rugosum 213
Ricnophora 22

Saccharomyces 93–112; bacillaris 96; cerevisiae 293; globosus 255, 293; granulatus 96; stellatus 96
Scenidium 26
Schlotheimia Brownii 241
Schwetschkeopsis denticulata 193
Sciaromium Lescurii 197
Scirrhiopsis 43; hendersonioides 39
Scopularia 34
Seligeria calcarea 170; pusilla 170; recurvata 170

Sematophyllum adnatum 211; caespitosum 243; carolinianum 211; marylandicum 211; saproxylophilum 244
Sepedonium 411
Septobasidium 34
Septonema 411
Sorosporium and ropogonis-aciculi 339; anthistiriae 340; caledonicum 340; cantonensis 340; **cymbopogonis-distantis 341**; ehrenbergii 341; flagellatum 341; formosanum 342; paspali-thunbergii 342
Sphacelotheca andropogonis 327; **anthistiriae 328**; anthistiriae var. **punctata 328**; apludae 328; capillipedii 329; cruenta 329; destruens 329; hydropiperis 330; hydropiperis var. borealis 330; isachnes 330; miscanthi 330; monilifera 331; nankinensis 331; ophiuri 331; penniseti-japonici 332; reiliana 332; rottboelliae 332; sacchari 333; sorghi 333; taiana 333; tanglinensis 334; tanglinensis var. **hainanae 334**
Sphaerophorus **ramulifer 426**
Spirotaenia 519
Stereocaulon argus var. **stenospermum 460**; corticatulum var. **procerum 462**; paschale var. alpinum f. **flabellans 457**; **patagonicum 454**; patagonicum f. **subirregulare 456**; **speciosum 458**; speciosum var. **surreptans 459**
Stereum 27, 34, 411; guadelupense 39
Striglia 31
Syncephalastrum racemosum 1–13, 48
Syringospora 16
Syrrhopodon croceus 239

Taxithelium instratum 244; novae-valesiae 245; petrophilum 244; selenithecium 245
Telamonia 34
Tetmemorus 529
Tetrachaetum elegans 371
Tetracladium marchalianum 366; setigerum 366
Tetraphis pellucida 225
Theissenula 43; clavispora 40
Thelia asprella 187; hirtella 187; Lescurii 187
Thielavia sepedonium 48
Thuidium abietinum 188; delicatulum 147, 188; furfurosum 243; Meyenianum 243; microphyllum 189; minutulum 189; plumulosiforme 243; pygmaeum 189; recognitum 189; scitum 189; virginianum 190
Thyridium fasciculatum 240; undulatum 240
Tilletia alopecuri 306; arundinella 307; caries 307; deyeuxiae 307; foetida 307; horrida 308; **okudairae 308**; pennisetina 308; pulcherrima 309; rhei 309; setariae 309
Timmia megapolitana 222
Tolyposporium bullatum 343; evernium 343; globuligerum 343
Tortella humilis 174; tortuosa 174
Tortula muralis 176; papillosa 176; rivalis 176
Torulaspora 88–112; rosei 94, 100, 102, 255, 291
Torulopsis 88–112; bacillaris 96; **caroliniana** 94, **105**, 112, 255, 287; holmii 94, 102, 255, 287; lactis-condensi 97; stellata 96; utilis 98
Trachyphyllum inflexum 243
Trachythecium verrucosum 246
Trechispora 43; onusta 40
Trematodon ambiguus 168; longicollis 168
Trematostoma 34
Tremella 35
Tremellodon 35
Tricelophorus monosporus 370
Trichochora 43
Trichoderma viride 48
Tricholoma 35
Trichosteleum hamatum 244
Trichostomum cylindricum 173
Tricladium angulatum 368; gracile 369; splendens 367
Triploceras 529

Ulota americana 180; crispa 180; Ludwigii 180
Underwoodina 16
Urocystis agropyri 312; anemones 312; dioscoreae 312; japonica 312
Usnea **kuehnemannii 467**
Ustilaginales 305–351
Ustilago aculeata 316; anhweina 316; avenae 316; bothriochloae 316; bullata 316; coicis 317; cordai 317; crameri 317; crus-galli 318; cynodontis 318; cynodontis f. **ovariicola 318**; emodensis 318; esculenta 319; filamenticola 318; heufleri 318; hordei 320; kenjiana 320; koenigiae 320; kusanoi 321; maydis 321; neglecta 321; nepalensis 321; nuda 322; ocrearum 322; rabenhorstiana 322; reticulata 322; scitaminea

323; shimadae 323; shiraiana 323; sparsa 324; spermophora 324; spherogena 325; sporoboli-indici 325; striiformis 325; tuberculiformis 325; vaillantii 326; violacea 326; warmingii 326

Vaginata 16
Vermiculariella 43; Elymi 40
Verrucaria **lacustris 424**
Versipellis 35
Volvaria 16, 35
Volvoboletus 43; volvatus 40

Warburgiella cupressinoides 243
Weisia viridula 173

Xerocomus 35
Xylocladium 43; Clautriavii 40

Zygosaccharomyces 94–112; globiformis 255, 294; halomembranis 111, 255, 276; pastori 255